

**Amendments to the Claims**

1 Claim 1 (original): A method of enabling data access and manipulation from a pervasive device,  
2 comprising steps of:  
3 receiving a data access request from a pervasive device;  
4 obtaining the requested data;  
5 determining what data manipulation operations are available for the obtained data, as well  
6 as a location of each available data manipulation operation; and  
7 returning the determined data manipulation operations and locations to the pervasive  
8 device, in addition to the obtained data.

1 Claim 2 (original): The method according to Claim 1, further comprising steps of:  
2 requesting operation of a selected one of the determined data manipulation operations; and  
3 performing the requested operation, wherein the performing step is executed by another  
4 device on behalf of the pervasive device.

1 Claim 3 (original): The method according to Claim 1, wherein the determining step further  
2 comprises determining what data manipulation operations are available for a content type of the  
3 obtained data.

1 Claim 4 (original): The method according to Claim 3, wherein the determining step further  
2 comprises determining what data manipulation operations are available for a user of the pervasive  
3 device.

Serial No. 09/848,394

-4-

Docket MLDRE2001001

1 Claim 5 (original): The method according to Claim 3, wherein the determining step further  
2 comprises determining what data manipulation operations are available for a current location of the  
pervasive device.

1 Claim 6 (original): The method according to Claim 1, wherein the determining step further  
2 comprises determining what data manipulation operations are available for a user of the pervasive  
3 device.

1 Claim 7 (original): The method according to Claim 6, wherein the step of determining what data  
2 manipulation operations are available for the user of the pervasive device further comprises  
3 obtaining information about the user from a protocol header of the data access request.

1 Claim 8 (original): The method according to Claim 6, wherein the step of determining what data  
2 manipulation operations are available for the user of the pervasive device further comprises  
3 obtaining information about access privileges of the user.

1 Claim 9 (original): The method according to Claim 8, wherein the information about access  
privileges of the user is obtained from a repository which stores access privilege information.

1 Claim 10 (original): The method according to Claim 1, wherein the determining step further  
2 comprises determining what data manipulation operations are available for a user group of which a  
user of the pervasive device is a member.

1 Claim 11 (original): The method according to Claim 1, wherein the determining step further  
2 comprises determining what data manipulation operations are available for a current location of the  
3 pervasive device.

1 Claim 12 (original): The method according to Claim 11, wherein the step of determining what data  
2 manipulation operations are available for the current location of the pervasive device further  
3 comprises accessing a global positioning system ("GPS") function of the pervasive device or a  
4 location registry associating the pervasive device with a plurality of access points.

1 Claim 13 (original): The method according to Claim 1, wherein the determining step further  
2 comprises determining what data manipulation operations are available for the pervasive device.

1 Claim 14 (original): The method according to Claim 13, wherein information used in the step of  
2 determining what data manipulation operations are available for the pervasive device is obtained  
3 from a protocol header which specifies types of content accepted by the pervasive device.

1 Claim 15 (original): The method according to Claim 13, wherein information used in the step of  
2 determining what data manipulation operations are available for the pervasive device is obtained

3 from a protocol header which specifies browser capabilities of a browser operating on the  
4 pervasive device.

1 Claim 16 (original): The method according to Claim 13, wherein information used in the step of  
2 determining what data manipulation operations are available for the pervasive device is obtained  
3 by analyzing capability information provided by the pervasive device.

1 Claim 17 (original): The method according to Claim 13, wherein information used in the step of  
2 determining what data manipulation operations are available for the pervasive device is obtained  
3 from a repository which specifies capabilities of the pervasive device.

1 Claim 18 (original): The method according to Claim 2, wherein the requested operation is a file  
2 storage operation.

1 Claim 19 (original): The method according to Claim 2, wherein the requested operation is a print  
2 operation.

1 Claim 20 (original): The method according to Claim 2, wherein the requested operation is one of a  
2 fax operation, an e-mail operation, a project operation, or a voice mail application.

1 Claim 21 (original): The method according to Claim 2, further comprising the step of annotating  
2 selected ones of the locations of the determined data manipulation operations with an identifier of  
3 respective ones of the obtained data.

1 Claim 22 (original): The method according to Claim 2, further comprising the step of annotating  
2 selected ones of the returned data manipulation operations and locations with one or more cookies  
3 which were present on the received data access request.

1 Claim 23 (original): The method according to Claim 2, further comprising the step of annotating  
2 selected ones of the returned data manipulation operations and locations with one or more  
3 parameters for use by the performing step.

1 Claim 24 (currently amended): The method according to Claim 23, wherein a selected set of the  
2 parameters which are returned to the pervasive device [[and]] are provided in the requesting step  
3 and are then used by the performing step.

1 Claim 25 (original): The method according to Claim 23, wherein the annotating step is performed  
2 by a protocol proxy component which receives the data access request in the receiving step, and  
3 wherein the annotating step is performed prior to operation of the returning step.

1 Claim 26 (original): The method according to Claim 25, wherein the determining and returning  
2 steps are performed by the protocol proxy.

1 Claim 27 (original): The method according to Claim 25, wherein the protocol proxy receives  
2 requests and transmits responses using Hypertext Transfer Protocol ("HTTP") messages.

1 Claim 28 (original): The method according to Claim 25, wherein the protocol proxy receives  
2 requests and transmits responses using Wireless Session Protocol ("WSP") messages.

1 Claim 29 (original): The method according to Claim 25, wherein the protocol proxy receives  
2 requests and transmits responses using Simple Mail Transfer Protocol ("SMTP"), Post Office  
3 Protocol ("POP" or "POP3"), or Internet Message Access Protocol ("IMAP") messages.

1 Claim 30 (original): The method according to Claim 25, wherein the protocol proxy receives  
2 requests and transmits responses using a synchronization protocol.

1 Claim 31 (original): The method according to Claim 25, wherein the protocol proxy is configured  
2 to accept requests from the pervasive device.

1 Claim 32 (original): The method according to Claim 25, wherein the protocol proxy and the  
2 pervasive device communicate through a wireless access point.

1 Claim 33 (original): The method according to Claim 2, wherein:

2 the locations comprise address information for each determined data manipulation  
3 operation;

4 the requesting operation step further comprises issuing a request using the address  
5 information of the selected data manipulation operation; and

6 the performing step further comprises executing a service which is located using the  
7 address information of the issued request.

1 Claim 34 (original): The method according to Claim 1, wherein the returning step further  
2 comprises returning at least one graphical symbol or icon for particular ones of the returned data  
3 manipulation operations and locations.

1 Claim 35 (original): The method according to Claim 1, wherein the determining step further  
2 comprises accessing a data structure to locate information used by the returning step, wherein the  
3 data structure stores information about the data manipulation operations that are available for the  
4 obtained data and the location of each available data manipulation operation.

1 Claim 36 (original): The method according to Claim 35, wherein new data manipulation  
2 operations are supported for use in the determining step by adding information about the new data  
3 manipulation operations and the location of each new data manipulation operation to the data  
4 structure.

1 Claim 37 (original): The method according to Claim 1, wherein the determining step further  
2 comprises:  
3 accessing a data structure to locate information used by the returning step, wherein the data  
4 structure stores information about the data manipulation operations that are available for the  
5 obtained data; and  
6 dynamically determining the location of each available data manipulation operation.

1 Claim 38 (original): The method according to Claim 37, wherein the dynamically determining step  
2 further comprises evaluating at least one of current processor load and current network conditions.

1 Claim 39 (original): The method according to Claim 2, wherein the requesting step is performed  
2 by a user of the pervasive device.

1 Claim 40 (original): The method according to Claim 2, wherein the requesting step is performed  
2 programmatically without intervention of a user of the pervasive device.

1 Claim 41 (original): The method according to Claim 2, further comprising the step of  
2 programmatically requesting, by a protocol proxy, a selected data manipulation operation on the  
3 obtained data, and wherein the returning step returns a result of the selected data manipulation  
4 operation as the obtained data.



1 Claim 42 (original): The method according to Claim 1, further comprising the step of  
2 automatically invoking one or more of the determined data manipulation operations.

1 Claim 43 (original): The method according to Claim 42, wherein the automatically invoking step  
2 operates before the returning step.

1 Claim 44 (original): The method according to Claim 1, further comprising the steps of:  
2 determining one or more selected data manipulation operations that should be performed  
3 automatically on the obtained data;  
4 performing the selected data manipulation operations on the obtained data, thereby creating  
5 transformed data; and  
6 using the transformed data as the obtained data for the step of determining what data  
7 manipulation operations are available.

1 Claim 45 (original): The method according to Claim 2, further comprising the step of dispatching  
2 the requested operation, by a manager which receives the operation request, to the other device  
3 prior to operation of the performing step.

1 Claim 46 (original): The method according to Claim 45, further comprising the step of passing  
2 information to the manager along with the operation request, wherein the passed information  
3 enables the manager to ensure that the performing step operates on data which is identical to the  
4 returned data.

1 Claim 47 (original): The method according to Claim 46, wherein the passed information comprises  
2 one or more cookies which are present in a header of the data access request.

1 Claim 48 (original): The method according to Claim 1, wherein operation of the steps requires no  
2 additional software on the pervasive device.

1 Claim 49 (original): The method according to Claim 1, wherein operation of the steps requires no  
2 additional hardware on the pervasive device.

1 Claim 50 (original): A system for enabling data access and manipulation from a pervasive device,  
2 comprising:

3 means for receiving a data access request from a pervasive device;  
4 means for obtaining the requested data;  
5 means for determining what data manipulation operations are available for the obtained  
6 data, as well as a location of each available data manipulation operation; and  
7 means for returning the determined data manipulation operations and locations to the  
8 pervasive device, in addition to the obtained data.

1 Claim 51 (original): The system according to Claim 50, further comprising:  
2 means for requesting operation of a selected one of the determined data manipulation  
3 operations; and

4 means for performing the requested operation, wherein the means for performing is  
5 executed by another device on behalf of the pervasive device.

1 Claim 52 (original): Computer program instructions for enabling data access and manipulation  
2 from a pervasive device, the computer program instructions embodied on one or more computer  
3 readable media and comprising:

4 computer program instructions for receiving a data access request from a pervasive device;  
5 computer program instructions for obtaining the requested data;  
6 computer program instructions for determining what data manipulation operations are  
7 available for the obtained data, as well as a location of each available data manipulation operation;  
8 and

9 computer program instructions for returning the determined data manipulation operations  
10 and locations to the pervasive device, in addition to the obtained data.

1 Claim 53 (original): The computer program instructions according to Claim 52, further  
2 comprising:

3 computer program instructions for requesting operation of a selected one of the determined  
4 data manipulation operations; and

5 computer program instructions for performing the requested operation, wherein the means  
6 for performing is executed by another device on behalf of the pervasive device.

1 Claim 54 (original): A method of enabling a pervasive device to access and manipulate remotely-  
2 stored data, comprising steps of:

3 receiving a data access request from the pervasive device;  
4 obtaining the requested data;  
5 determining what data manipulation operations are available for the obtained data, as well  
6 as a location of each available data manipulation operation; and  
7 returning the determined data manipulation operations and locations to the pervasive  
8 device, in addition to the obtained data.

1 Claim 55 (original): A method of accessing and manipulating remotely-stored data from a  
2 pervasive device, comprising steps of:

3 requesting an access of the remotely-stored data from the pervasive device; and  
4 receiving the requested data at the pervasive device, along with information about one or  
5 more data manipulation operations that have been determined to be available for the obtained data.

1 Claim 56 (original): The method according to Claim 56, wherein the information further comprises  
2 a location of each available data manipulation operation.

1 Claim 57 (original): The method according to Claim 56, further comprising the step of requesting  
2 operation of a selected one of the data manipulation operations.